

AMSOIL

The First in Synthetics

Products for Marine Applications



- **Performance**
- **Power**
- **Protection**





AMSOIL Products for Diesel Marine Applications

Engine Oil

AMSOIL Synthetic 15W-40 Heavy Duty Diesel and Marine Oil (AME) provides the ultimate in diesel engine protection. Specifically formulated for long life, it resists oxidation and thermal breakdown, retains viscosity and helps prevent sludge and varnish formation.

Outstanding lubricity provides exceptional wear protection and maximum fuel efficiency. It contains special performance additives for acid and soot control. Extended drain capability reduces downtime and oil expenses.



AME

contaminated with water. AMSOIL Cold Flow Improver is excellent for use with AMSOIL Diesel Concentrate and AMSOIL Cetane Boost Additive.

Fuel Additives

AMSOIL Cetane Boost Additive (ACB) improves ignition, combustion efficiency and power. AMSOIL Cetane Boost also raises cetane by three to seven numbers and reduces white smoke emissions.



ACB

Diesel Concentrate Plus Cold Flow Improver (DFC) provides all the benefits of Diesel Concentrate and Cold Flow Improver in one convenient bottle. It improves the performance, fuel efficiency and longevity of diesel engines while reducing deposits, black smoke and emissions. AMSOIL Diesel Concentrate Plus Cold Flow Improver lowers the cold filter-plugging point by as much as 34°F and reduces the need for #1 diesel fuel that is diluted with kerosene.



DFC

AMSOIL Diesel Concentrate (ADF) compensates for the quality variances of different fuels (including biodiesels) and the deficiencies of today's ULSD for better engine operation. It reduces cylinder wear, retains TBN longer and minimizes soot-loading. AMSOIL Diesel Concentrate improves fuel economy and restores horsepower to like-new. It is also a fuel stabilizer.



ADF

AMSOIL Cold Flow Improver (ACF) lowers the cold filter-plugging point by as much as 34° F and decreases the need for #1 diesel fuel that is diluted with kerosene. It contains jet-fuel-type deicer to help prevent ice formation in fuels




ACF

Diesel Recovery (DRC) is an emergency diesel fuel treatment that dissolves the wax crystals that form when diesel fuel has surpassed its cloud point. It liquefies gelled diesel fuel and thaws frozen fuel filters, often negating the need for a new filter. Treat rate is one oz. to one gallon of fuel.



DRC



AMSOIL Products for Four-Cycle Gasoline-Powered Marine Applications

Additives

AMSOIL Quickshot SE (AQS) is formulated to thoroughly clean varnish, gums and insoluble debris in two- and four-stroke gasoline-powered small engines and powersports fuel systems, restoring peak performance. It addresses performance issues related to ethanol, water and dirty pump gas, while stabilizing fuel between uses and during short-term storage.

Gasoline Stabilizer (AST) is formulated to keep gasoline and diesel fuel from oxidizing and deteriorating, prolonging its storage life. Gasoline Stabilizer inhibits the formation of varnish and gum, which helps prevent poor injector and engine performance.

AMSOIL Engine Fogging Oil's (FOG) superior film retention provides stored equipment with long-term protection against corrosion and dry starts, extending engine life and reducing operating expenses. Its aerosol spray formulation offers easy and clean application, while reaching more components and offering complete distribution of the oil, something especially beneficial in applications with horizontal cylinder orientation such as outboard motors.

Engine Oil

Formula 4-Stroke® Marine Synthetic Motor Oils (WCT, WCF) are formulated specifically for use in four-stroke gasoline-fueled engines used in marine applications. They offer maximum wear protection, viscosity stability, low volatility and excellent low-temperature fluidity. AMSOIL Formula 4-Stroke® Marine Synthetic Motor Oils meet the "Warranty Certified" status of engine manufacturers. They are recommended for use in four-stroke outboard motors including Honda, Yamaha, Mercury, Suzuki, Johnson-Evinrude (BRP) and more. Also excellent for use in marine inboard/outboard engines, marine inboard power plants and personal watercraft.



AQS

AST



FOG



WCT



WCF



AMSOIL,

As a builder of some of the most exotic offshore powerboats on the market, we at SunSation are always looking for products that can hold up to the high demands of the marine environment and the loads and strain we place on our fleet of trucks that haul these boats to shows and poker runs all over the country. AMSOIL simply delivers. Because of the ease of testing that takes only minutes, we are able to learn precisely what is happening in our engines, both in the boats and in the trucks. By having the ability to simply take a sample and send it to one of the AMSOIL labs, we are able to fine-tune our products by being aware of any potential problems before they could arise. The report provided from AMSOIL ensures us our products have a longer life and offer greater pleasure to our customers with more time on the water. Because SunSation is based on the marine industry, we also have a keen eye on using products that will have as little impact on our environment as possible. Again, we have found the answer in AMSOIL. By reducing our oil changes, we dramatically reduce the amount of waste we produce with our towing fleet. And having the oil hold up as well as it does in our boats that operate under a constant high load allows us to go entire seasons without having to change the oil. We believe in AMSOIL motor oils and products because we are convinced they outperform and outlast any other synthetic on the market today. They save us money and time and they conserve the environment . . . what more could we ask for!

*Respectfully,
Joe Schaldenbrand
Vice President, SunSation Performance
Offshore Powerboats*

AMSOIL Oils for Two-Cycle Gasoline-Powered Marine Applications

Engine Oils

Saber Outboard Synthetic 100:1 Pre-Mix 2-Cycle Oil (ATO) contains lower-temperature dispersants for water-cooled outboard motors. It is specifically designed for lean mix ratios in pre-mix applications. Extensive testing shows superior lubricity and cleanliness properties at lean mix ratios.

DOMINATOR® Synthetic 2-Cycle Racing Oil (TDR) is recommended for racing applications in outboard motors. AM-SOIL DOMINATOR Synthetic 2-Cycle Racing Oil is specially engineered for superior protection of high-performance two-cycle boat motors. It contains heavier synthetic base oils that provide more lubricity for “on the edge” operation. DOMINATOR reduces friction and protects pistons and bearings subjected to the rigors of racing. DOMINATOR contains an exact blend of proprietary additives for clean motor operation.

INTERCEPTOR Synthetic 2-Cycle Oil (AIT) is engineered specially for personal watercraft and jet boats. It excels in powersports applications and engines equipped with exhaust power valves. It contains the finest synthetic base oils and additives available for exceptional cleanliness properties. INTERCEPTOR is the result of years of field testing, which provided some of the most severe conditions possible. INTERCEPTOR excels at controlling exhaust valve sticking and provides outstanding overall lubrication properties.

hp Injector Synthetic 2-Cycle Oil (HPI) is a precise synthetic formulation that provides superior performance in direct fuel injected (DFI), electronic fuel injected (EFI) and carbureted outboard motors, as well as other recreational two-cycle equipment.

hp Injector exceeds the lubrication demands of modern two-cycle engines. It contains premium synthetic base oils and MAX-DOSE additive system.

AMSOIL Fogging Oil and Gasoline Stabilizer are great in two-cycle engines too!





AMSOIL Greases for Marine Applications

Synthetic Water Resistant Grease (GWR) is an extreme-pressure lithium-complex wheel bearing grease specially formulated for extreme resistance to water washout. It is the grease of choice for protection of frequently wetted components, such as marine trailer wheel bearings. AMSOIL Water Resistant Grease forms a shield against rust and corrosion, protecting components during use and storage.

AMSOIL Water Resistant Grease also offers outstanding extreme-temperature performance for rapid cold-temperature lubrication and protection and dependable high-temperature performance. Its outstanding friction-reducing ability enhances fuel efficiency and power.

Synthetic Multi-Purpose Grease (GLC) is an extreme-pressure lithium-complex wheel bearing grease formulated for all-around use in high-speed, high-temperature applications, such as trailer wheel bearings. It provides outstanding protection against the destructive effects of water. AMSOIL Multi-Purpose Grease also contains dependable rust and corrosion inhibitors.

It offers low-temperature fluidity for rapid cold-temperature lubrication and performance. In fact, AMSOIL GLC may be used in place of separate high-temperature and low-temperature greases.



GWR



GLC

AMSOIL Filters for Marine Applications

AMSOIL Ea By-Pass Filters (EaBP) are high-efficiency by-pass filters that also remove soot. AMSOIL EaBP Filters have an efficiency of 98.7 percent at two microns and remove 39 percent of soot contaminants less than one micron. At normal operating RPM an Ea By-Pass Filter will filter all of the oil in a typical five-quart sump in less than 10 minutes.

The superior construction of AMSOIL Ea By-Pass Filters provides better sealing and increased longevity. To increase corrosion resistance, AMSOIL Ea By-Pass Filters have a marine powder-coated exterior with zinc-dichromate treated base plates. Ea By-Pass Filters have a nitrile HNBR gasket and an orange silicone anti-drain valve. The media is comprised of a two-stage pleated and layered cellulose/full-synthetic composite.

By-pass filtration is a valuable commodity for anyone who wants to extend drain intervals and prolong engine life. It is also beneficial to engines that are exposed to high levels of contaminants on a regular basis.



AMSOIL Ea Oil Filters (EaO) offer superior filtering efficiency and life to that offered by conventional full-flow oil filters. Ea Oil Filters feature advanced full-synthetic nanofiber technology, making them some of the highest efficiency filters available. The smaller fibers in synthetic media also have a controlled size and shape. This results in greater efficiency and capacity than cellulose filters, and better durability. AMSOIL Ea Oil Filters provide a higher level of engine protection, as well as extended filter change intervals. Extensive testing shows that AMSOIL Ea Oil Filters achieve a near-perfect absolute efficiency rating. The premium synthetic technology used in AMSOIL Ea Oil Filters provides filtering efficiency to 98.7 percent at 15 microns. Higher filtering efficiency leads to longer engine life.

Marine Dual Remote Filtration System (BMK-18)

pairs an AMSOIL Ea Full-Flow Oil Filter with an AMSOIL Ea By-Pass Filter, providing the superior soot and small-particle capture of by-pass filtration and top-quality full-flow filtration on a single mounting manifold. It is the only system of this kind designed specifically for marine applications.

The AMSOIL Marine Dual Remote Filtration System increases the volume of oil in engine circulation, especially when the largest possible filters are installed in the system. Increased oil capacity increases oil life, helps optimize engine operating temperatures and enhances engine life. The Marine Dual Remote Filtration System has the ability to remove small engine-harming particles and soot from the lubrication system.

The Marine Dual Remote Filtration System is designed to be used in harsh marine environments. The hose fittings are coated with a 3 ml layer of Alumiplat™ and 1 ml of zinc and yellow chromate. This Alumiplat™ coating is 10 times more corrosion-resistant than standard zinc and yellow chromate plated fittings. Furthermore, the fasteners and mounting bracket are stainless steel and the hoses are U.S. Coast Guard approved.

With the use of AMSOIL motor oils, the Marine Dual Remote Oil Filtration System and a regular program of used oil analysis and filter changes, oil changes may be much less frequent in inboard marine engines.



Complete Filter Coverage

AMSOIL distributes Donaldson® Endurance™ heavy-duty oil filters with nanofiber technology, offering a complete line of filters for all engine, drivetrain and other marine, heavy-duty equipment and automotive applications.



AMSOIL Gear Lube and Antifreeze for Marine Applications



AGM

AMSOIL Synthetic Marine Gear Lube (AGM) is an exclusive AMSOIL formulation of synthetic base oils and high-performance additives that meet the specific needs of marine applications. It is fortified with extreme-pressure (EP) additives for superior protection of fast accelerating, high-torque/horsepower engines. It protects against shock-loading from cavitation of heavily-loaded engines.

AMSOIL Synthetic Marine Gear Lube is water resistant. It maintains extreme-pressure protection even when contaminated with as much as 10 percent water. It promotes longer seal life, helping to prevent excessive water leakage. AMSOIL Synthetic Marine Gear Lube is formulated to prevent rust and is compatible with aluminum, copper and brass alloys.

AMSOIL Synthetic Marine Gear Lube is recommended for fresh- and salt-water applications requiring 75W-90 or 80W-90 viscosity grades and meeting API GL-4 or GL-5 performance standards.

AMSOIL Synthetic Marine Gear Lube is convenient and versatile and meets the requirements of 13 manufacturers. Examples of AMSOIL Synthetic Marine Gear Lube applications include:

Outboard lower units; Mercury/Mariner, Johnson/Evinrude, Bombardier, Honda, Yamaha, Suzuki, Force/US Marine, Nissan, Tohatsu, Harbormaster Marine, Sears Gamefisher and Seagull. Sterndrives; Mercruiser-Bravo, OMC/Bombardier, Volvo-Penta, Yanmar, Konrad, Marine Drive Systems. V-Drives: Casale & Menkens. Bow & Tunnel thrusters: Harbormaster Marine. Marine Transmissions: ZF Marine Transmission.

AMSOIL Propylene Glycol Antifreeze and Engine Coolant (ANT) combines biodegradability, low toxicity and all-climate protection. Its revolutionary formulation provides maximum antifreeze and cooling protection in the most extreme temperatures and operating conditions. AMSOIL Antifreeze and Engine Coolant contains a proprietary poly-organic acid technology that eliminates the need for periodic changing or recharging of cooling systems. There is no need for supplemental coolant additives. It provides extended service life in all gasoline and diesel engines. AMSOIL Antifreeze and Coolant plates to metal to protect even when exposed to acids and salt spray.



ANT

MOTHERS®

MARINE



Mothers Marine PowerMetal®

An extraordinary liquid metal polish that restores and protects polish-able metals, including stainless steel, brass, bronze and aluminum. PowerMetal® gives that like-new shine by removing tarnish, light surface rust, mild oxidation and corrosion.



Mothers Marine Cleaner Wax

Mothers Cleaner Wax removes light oxidation, haze and scuffs, while providing long-lasting protection and enhanced gloss to gelcoats and fiberglass. Helps protect against ultraviolet rays and environmental contaminants.

Mothers Marine PowerPlastic

The best "all-in-one" plastic polish and protectant. Removes light scratches, oxidation, haze, stains and yellowing, leaving a long-lasting protective polymer barrier against UV rays, water spotting, airborne contaminants and more.



Mothers Marine Black Streak Remover

Formulated to quickly and easily remove those unsightly black streaks from gelcoats, fiberglass or metal.



Mothers Marine Wash'n Wax

A concentrated, biodegradable wash and wax for boat and RV surfaces. Specifically formulated to quickly and easily remove dirt, salt spray, grime and scum. Mothers Wash'n Wax is an environmentally friendly, low-sudsing formula.



AMSOIL products and Dealership information are available from your local AMSOIL Dealer.

